

Revision date 03/20/2024

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision Number 2

1. Identification	
Product identifier	
Product Name	No. 3001
Other means of identification	
Safety data sheet number	05391
Product Code(s)	L0101-035, L0101-039, L0101-040, L0101-040B, L0101-098
Synonyms	None
Recommended use of the chemica	al and restrictions on use
Recommended use	No information available
Restrictions on use	No information available
Details of the supplier of the safet	y data sheet
Manufacturer Address Lubriplate Lubricants Company Head 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806	dquarters
Emergency telephone number	
Emergency Telephone	Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)
2. Hazard(s) identification	

Classification

Skin sensitization


Category 1

Hazards not otherwise classified (HNOC) Not applicable

Label elements

Warning

Hazard statements



Physical state Solid

Odor Mild

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. May be harmful in contact with skin. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Distillates (petroleum), hydrotreated heavy	64742-52-5	30 - <60 %	*
naphthenic			
Molybdenum disulfide	1317-33-5	3 - <7%	*
zinc oxide	1314-13-2	1 - <5%	*
Antimony tris[O,O-dipropyl] tris(dithiophosphate)	15874-48-3	1 - <5%	*
Carbon graphite	7782-42-5	1 - <5%	*
Zinc bis(dibutyldithiocarbamate)	136-23-2	0.1 - <1%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Remove to fresh air.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	Rinse mouth.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Itching. Rashes. Hives.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	
5. Fire-fighting measures		
5. Fire-fighting measures Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the	
	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.	
Suitable Extinguishing Media	surrounding environment.	
Suitable Extinguishing Media	surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.	
Suitable Extinguishing Media Large Fire Unsuitable extinguishing media Specific hazards arising from the	surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient. Do not scatter spilled material with high pressure water streams. Product is or contains a sensitizer. May cause sensitization by skin contact.	
Suitable Extinguishing Media Large Fire Unsuitable extinguishing media Specific hazards arising from the chemical Explosion data	surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient. Do not scatter spilled material with high pressure water streams. Product is or contains a sensitizer. May cause sensitization by skin contact.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Methods and material for containment and cleaning up			
Methods for containment Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up Pick up and transfer to properly labeled container			

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Distillates (petroleum),	TWA: 5 mg/m ³ inhalable	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
hydrotreated heavy naphthenic	particulate matter excluding	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³
64742-52-5	metal working fluids, highly &		STEL: 10 mg/m ³
	severely refined		
Molybdenum disulfide	TWA: 10 mg/m ³ Mo inhalable	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³ Mo
1317-33-5	particulate matter	(vacated) TWA: 10 mg/m ³ Mo	
	TWA: 3 mg/m ³ Mo respirable particulate matter		
zinc oxide	STEL: 10 mg/m ³ respirable	TWA: 5 mg/m ³ fume	IDLH: 500 mg/m ³
1314-13-2	particulate matter	TWA: 15 mg/m ³ total dust	Ceiling: 15 mg/m ³ dust
	TWA: 2 mg/m ³ respirable	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ dust and fume
	particulate matter	fraction	STEL: 10 mg/m ³ fume
		(vacated) TWA: 5 mg/m ³ fume	
		(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction (vacated) STEL: 10 mg/m ³	
		fume	
Antimony tris[O,O-dipropyl]	TWA: 0.5 mg/m ³ Sb	TWA: 0.5 mg/m ³ Sb	IDLH: 50 mg/m ³ Sb
tris(dithiophosphate)	5	(vacated) TWA: 0.5 mg/m ³ Sb	TWA: 0.5 mg/m ³ Sb
15874-48-3			
Carbon graphite	TWA: 2 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	IDLH: 1250 mg/m ³
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m ³ natural
	except graphite fibers	TWA: 5 mg/m ³ respirable	respirable dust
		fraction synthetic	
		TWA: 15 mppcf respirable dust natural	
		(vacated) TWA: 2.5 mg/m ³	
		respirable dust natural	
		(vacated) TWA: 10 mg/m ³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and o	chemical properties	
Physical state	Solid	
Appearance	solid	
Color	black	
Odor	Mild	
Odor threshold	No information available	
Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	e> 288 °C / 550.4 °F	>288°C (>550.4°F)
Flash point	> 210 °C / 410.0 °F	None known
Evaporation rate	No data available	< 0.01 (butyl acetate = 1)
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	<0.0013 kPa @ 25°C	None known
Relative vapor density	> 5	None known
Relative density	0.96	None known
Water solubility	No data available Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	
Durk delibity		

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available.	
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May be harmful in contact with skin.	
Ingestion	Specific test data for the substance or mixture is not available.	
Symptoms related to the physical, chemical and toxicological characteristics		

Symptoms

Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,992.60 mg/kg
ATEmix (dermal)	4,733.30 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapor)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum),	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
hydrotreated heavy naphthenic 64742-52-5			
Molybdenum disulfide 1317-33-5	-	-	> 2820 mg/m³ (Rat)4 h
zinc oxide 1314-13-2	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5700 mg/m³ (Rat)4 h
Carbon graphite 7782-42-5	-	-	> 2000 mg/m³ (Rat)4 h
Zinc bis(dibutyldithiocarbamate) 136-23-2	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
zinc oxide 1314-13-2	-	LC50: =1.55mg/L (96h, Danio rerio)	-	-
Carbon graphite 7782-42-5	-	LC50: >100mg/L (96h, Danio rerio)	-	-
Zinc bis(dibutyldithiocarbamat e) 136-23-2	-	LC50: =880mg/L (96h, Lepomis macrochirus) LC50: =520mg/L (96h, Oncorhynchus mykiss)	-	EC50: =0.74mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Other adverse effects

No information available.

13. Disposal considerations			
Disposal methods			
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Do not reuse empty containers.		
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.		
14. Transport information			
Note:	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.		
Special precautions:	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.		
DOT Notes	Not regulated This product is not regulated for road transportation in accordance with 49 CFR Exceptions.		
IATA Notes UN number or ID number UN proper shipping name Transport hazard class(es) Packing group	This product is not regulated when net quantities per single inner package are ≤5liters or ≤5 kilograms. UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide, antimony tris[O,O-dipropyl] tris(dithiophosphate)) 9 III		
IMDG Notes UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No. Marine pollutant	This product is not regulated when net quantities per single inner package are ≤5liters or ≤5 kilograms. UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide, antimony tris[O,O-dipropyl] tris(dithiophosphate)) 9 III F-A, S-F Yes		
Transport Label			

15. Regulatory information

International Inventories

TSCA

Complies.

Complies.
Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
zinc oxide - 1314-13-2	1.0
Antimony tris[O,O-dipropyl] tris(dithiophosphate) - 15874-48-3	1.0
Zinc bis(dibutyldithiocarbamate) - 136-23-2	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
zinc oxide 1314-13-2	-	Х	-	-
Antimony tris[O,O-dipropyl] tris(dithiophosphate) 15874-48-3	-	Х	-	-
Zinc bis(dibutyldithiocarbamat e) 136-23-2	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

<u>California Proposition 65</u> This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	Х	Х	Х
Molybdenum disulfide 1317-33-5	-	Х	-
zinc oxide 1314-13-2	Х	Х	Х
Antimony tris[O,O-dipropyl] tris(dithiophosphate) 15874-48-3	Х	-	Х
Carbon graphite 7782-42-5	Х	Х	Х
Zinc bis(dibutyldithiocarbamate) 136-23-2	Х	-	Х
Carbon black 1333-86-4	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA HMIS	Health hazards 2 Health hazards 2	Flammability Flammability		Instability 0 Physical hazards 0	Special hazards - Personal protection X
	reviations and acronyms u exposure controls/personal		ety data sh	eet	
TWA TW	/A (time-weighted average)	-	STEL Sk*	STEL (Short Term Skin designation	n Exposure Limit)

New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date Revision Note <u>Disclaimer</u> 03/20/2024 No information available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet