# **SAFETY DATA SHEET**

Revision date 03/20/2024

1. Identification		
Product identifier		
Product Name	HO-2A	
Other means of identification		
Safety data sheet number	04822	
Product Code(s)	L0763-057, L0763-060, L0763-061, L0763-062, L0763-072, L0763-074	
Synonyms	None	
Recommended use of the chem	ical and restrictions on use	
Recommended use	No information available	
Restrictions on use	No information available	
Details of the supplier of the saf	ety data sheet	
Manufacturer Address Lubriplate Lubricants Company He 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806	eadquarters	
Emergency telephone number		
Emergency Telephone	Chem-Tel 1-800-255 3924 (US & Canada only)	

"It's the Film" PREVENTS WEAR and CORROSION

> SUPER LUBRICATION

**Revision Number** 2

JBRIPL

Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)

### 2. Hazard(s) identification

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

#### Hazard statements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance Liquid

Physical state Liquid

Odor Mild

#### Other information

No information available.

### 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	65 - <85%	*
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	10 - <30%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

#### **Description of first aid measures**

Inhalation	Remove to fresh air.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash skin with soap and water.	
Ingestion	Rinse mouth.	
Most important symptoms and effects, both acute and delayed   Symptoms No information available.		
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. Fire-fighting measures		

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	e No information available.	
Explosion data Sensitivity to mechanical impac	t None.	
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material fo	r containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.	

## 8. Exposure controls/personal protection

#### Control parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Distillates (petroleum),	TWA: 5 mg/m <sup>3</sup> inhalable	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
hydrotreated heavy paraffinic	particulate matter excluding	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
64742-54-7	metal working fluids, highly &		STEL: 10 mg/m <sup>3</sup>
	severely refined		
Distillates (petroleum),	TWA: 5 mg/m <sup>3</sup> inhalable	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
hydrotreated heavy paraffinic	particulate matter excluding	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
64742-54-7	metal working fluids, highly &		STEL: 10 mg/m <sup>3</sup>
	severely refined		

#### Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	No special protective equipment required.	
Skin and body protection	No special protective equipment required.	
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.	

## 9. Physical and chemical properties

Information on basic physical and o	chemical properties	
Physical state	Liquid	
Appearance	Liquid	
Color	amber	
Odor	Mild	
Odor threshold	No information available	
Property	Values	Remarks • Method
рН	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang		>288°C (>550.4°F)
Flash point	> 263 °C / 505.4 °F	None known
Evaporation rate	No data available	< 0.01 (butyl acetate
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits	Ne dete eveileble	
Lower flammability or explosive	No data available	
limits	0 0010 kBa @ 25%C	Nana kasua
Vapor pressure	<0.0013 kPa @ 25°C	None known
Relative vapor density	> 5	None known
Relative density	0.87	None known
Water solubility	No data available Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	400 01 0 4000	None known
Kinematic viscosity	100 cSt @ 40°C	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	

#### d

None known
None known
>288°C (>550.4°F)
None known
< 0.01 (butyl acetate = 1)
None known
None known

## 10. Stability and reactivity

Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid	None known based on information supplied.	
Incompatible materials	None known based on information supplied.	
Hazardous decomposition products None known based on information supplied.		

### 11. Toxicological information

#### Information on likely routes of exposure

available.
available.
available.
available.
available

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Acute toxicity

Numerical measures of toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	15,298.30 mg/kg
ATEmix (dermal)	5,099.40 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapor)	99,999.00 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

## 12. Ecological information

#### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

Bioaccumulation

Other adverse effects

No information available.

## 13. Disposal considerations

#### **Disposal methods**

	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

#### 14. Transport information

Note:	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
DOT	Not regulated
IATA	Not regulated
IMDG Marine pollutant	Not regulated No

#### 15. Regulatory information

#### International Inventories

TSCA

Complies.

\*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Complies.
IECSC	Complies.
KECI	Complies.
PICCS	Complies.
AIIC	Complies.
NZIoC	Complies.

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL~ - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

**NZIOC** - New Zealand Inventory of Chemicals

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distillates (petroleum),	Х	Х	Х
hydrotreated heavy paraffinic			
64742-54-7			
Distillates (petroleum),	Х	Х	Х
hydrotreated heavy paraffinic			
64742-54-7			
Zinc alkyldithiophosphate	Х	-	Х
68649-42-3			
Zinc bis[O,O-bis(2-ethylhexyl)]	Х	-	Х
bis(dithiophosphate)			
4259-15-8			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information				
NFPA HMIS	Health hazards 0 Health hazards 0	Flammability 1 Flammability 1	Instability 0 Physical hazards 0	Special hazards - Personal protection X
	breviations and acronyms u		eet	
TWA T	Exposure controls/persona WA (time-weighted average) laximum limit value		STEL (Short Term Skin designation	n Exposure Limit)
Key literature references and sources for data used to compile the SDS   Agency for Toxic Substances and Disease Registry (ATSDR)   U.S. Environmental Protection Agency ChemView Database   European Food Safety Authority (EFSA)   Environmental Protection Agency   Acute Exposure Guideline Level(s) (AEGL(s))   U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act   U.S. Environmental Protection Agency High Production Volume Chemicals   Food Research Journal   Hazardous Substance Database   International Uniform Chemical Information Database (IUCLID)   National Institute of Technology and Evaluation (NITE)				

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

**Revision date** 03/20/2024 **Revision Note** No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet