

# SAFETY DATA SHEET



Revision date 03/19/2024

Revision Number 3

## 1. Identification

### Product identifier

Product Name FGL-00

### Other means of identification

Safety data sheet number 04840

Product Code(s) L0226-005, L0226-035, L0226-039, L0226-040

UN number or ID number Not applicable.

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

### Details of the supplier of the safety data sheet

#### Manufacturer Address

Lubriplate Lubricants Company Headquarters  
129 Lockwood St.  
Newark, NJ 07105  
Midwest Office & Plant  
1500 Oakdale Ave.  
Toledo, OH 43605  
419-691-2491  
419-693-3806

### Emergency telephone number

Emergency Telephone Chem-Tel 1-800-255 3924 (US & Canada only)  
01-813-248-0585 (Outside US & Canada)

## 2. Hazard(s) identification

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Hazards not otherwise classified (HNOC)

Not applicable

**Label elements****Hazard statements**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

The product contains no substances which at their given concentration, are considered to be hazardous to health.

**Appearance** solid

**Physical state** Solid

**Odor** Mild

**Other information**

May be harmful in contact with skin. Harmful to aquatic life.

**3. Composition/information on ingredients****Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%	Trade secret
White mineral oil (petroleum)	8042-47-5	65 - <85%	*
Polybutene	9003-29-6	10 - <30%	*
zinc oxide	1314-13-2	1 - <5%	*
Precipitated calcium carbonate	471-34-1	1 - <5%	*
Tetrasodium pyrophosphate	7722-88-5	1 - <5%	*
Aluminum benzoate stearate	68815-27-0	0.5 - <1.5%	*
Disodium sebacate	17265-14-4	0.5 - <1.5%	*
Phosphorothioic acid, O,O,O-triphenyl ester	597-82-0	0.1 - <1%	*
Nonhazardous ingredients (US only)	-	0.1 - <1%	*
Amines, C11-14 branched alkyl monoethyl and diethyl phosphates	80939-62-4	0.1 - <1%	*
4,4'-methylene bis(dibutyldithiocarbamate)	10254-57-6	0.1 - <1%	*
Synthetic amorphous, pyrogenic silica	112945-52-5	0.1 - <1%	*
Sodium benzoate	532-32-1	NF	*
1-H benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-methyl-	94270-86-7	NF	*
Benzoic acid	65-85-0	NF	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. First-aid measures****Description of first aid measures****Inhalation**

Remove to fresh air.

**Eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

**Skin contact**

Wash skin with soap and water.

Ingestion Rinse mouth.

**Most important symptoms and effects, both acute and delayed**

Symptoms No information available.

**Indication of any immediate medical attention and special treatment needed**

Note to physicians Treat symptomatically.

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

**Specific hazards arising from the chemical** No information available.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. Handling and storage

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place.

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
zinc oxide 1314-13-2	STEL: 10 mg/m <sup>3</sup> respirable particulate matter TWA: 2 mg/m <sup>3</sup> respirable particulate matter	TWA: 5 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> fume (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) STEL: 10 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup> Ceiling: 15 mg/m <sup>3</sup> dust TWA: 5 mg/m <sup>3</sup> dust and fume STEL: 10 mg/m <sup>3</sup> fume
Precipitated calcium carbonate 471-34-1	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Tetrasodium pyrophosphate 7722-88-5	-	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Synthetic amorphous, pyrogenic silica 112945-52-5	-	(vacated) TWA: 6 mg/m <sup>3</sup> <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Sodium benzoate 532-32-1	TWA: 2.5 mg/m <sup>3</sup> Benzoate inhalable particulate matter S*	-	-
Benzoic acid 65-85-0	TWA: 0.5 mg/m <sup>3</sup> inhalable fraction and vapor S*	-	-

### Appropriate engineering controls

**Engineering controls**                      Showers  
 Eyewash stations  
 Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection**                      No special protective equipment required.

**Skin and body protection**                      No special protective equipment required.

**Respiratory protection**                      No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations**                      Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Information on basic physical and chemical properties**

<b>Physical state</b>	Solid
<b>Appearance</b>	solid
<b>Color</b>	White/off-white
<b>Odor</b>	Mild
<b>Odor threshold</b>	No information available

<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>
<b>pH</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	> 288 °C / 550.4 °F	>288°C (>550.4°F)
<b>Flash point</b>	> 238 °C / 460.4 °F	None known
<b>Evaporation rate</b>	No data available	< 0.01 (butyl acetate = 1)
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	<0.0013 kPa @ 25°C	None known
<b>Relative vapor density</b>	> 5	None known
<b>Relative density</b>	0.95	None known
<b>Water solubility</b>	No data available	Insoluble in water
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>		None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

**Other information**

<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available
<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content</b>	No information available
<b>Liquid Density</b>	No information available
<b>Bulk density</b>	No information available

**10. Stability and reactivity**

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Conditions to avoid</b>	None known based on information supplied.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous decomposition products</b>	None known based on information supplied.

**11. Toxicological information****Information on likely routes of exposure**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	May be harmful in contact with skin.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

#### Acute toxicity

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	5,155.30 mg/kg
<b>ATEmix (dermal)</b>	4,263.00 mg/kg
<b>ATEmix (inhalation-gas)</b>	99,999.00 ppm
<b>ATEmix (inhalation-dust/mist)</b>	99,999.00 mg/l
<b>ATEmix (inhalation-vapor)</b>	99,999.00 mg/l

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
White mineral oil (petroleum) 8042-47-5	> 5000 mg/kg ( Rat )	-	-
Polybutene 9003-29-6	-	> 2000 mg/kg ( Rat )	> 19171 mg/m <sup>3</sup> ( Rat ) 4 h
zinc oxide 1314-13-2	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	> 5700 mg/m <sup>3</sup> ( Rat ) 4 h
Precipitated calcium carbonate 471-34-1	= 6450 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	> 3 mg/L ( Rat ) 4 h
Tetrasodium pyrophosphate 7722-88-5	1000 - 3000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-
Phosphorothioic acid, O,O,O-triphenyl ester 597-82-0	-	> 2000 mg/kg ( Rat )	-
Amines, C11-14 branched alkyl monohexyl and dihexyl phosphates 80939-62-4	-	> 2000 mg/kg ( Rat )	-
4,4'-methylene bis(dibutyldithiocarbamate) 10254-57-6	= 16000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-
Synthetic amorphous, pyrogenic silica 112945-52-5	= 3160 mg/kg ( Rat )	-	-
Sodium benzoate 532-32-1	= 4070 mg/kg ( Rat )	-	-
Benzoic acid 65-85-0	= 1700 mg/kg ( Rat )	> 10000 mg/kg ( Rabbit )	> 12.2 mg/L ( Rat ) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Synthetic amorphous, pyrogenic silica 112945-52-5	-	Group 3	-	-

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**Other adverse effects** No information available.

**Interactive effects** No information available.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
White mineral oil (petroleum) 8042-47-5	-	LC50: >10000mg/L (96h, <i>Lepomis macrochirus</i> )	-	-
Polybutene 9003-29-6	-	-	-	EC50: >100mg/L (48h, <i>Daphnia magna</i> )
zinc oxide 1314-13-2	-	LC50: =1.55mg/L (96h, <i>Danio rerio</i> )	-	-
Phosphorothioic acid, O,O,O-triphenyl ester 597-82-0	-	LC50: >100mg/L (96h, <i>Danio rerio</i> )	-	-
4,4'-methylene bis(dibutylidithiocarbamate) 10254-57-6	-	LC50: >0.06mg/L (96h, <i>Oncorhynchus mykiss</i> )	-	-
Synthetic amorphous, pyrogenic silica 112945-52-5	EC50: =440mg/L (72h, <i>Pseudokirchneriella subcapitata</i> )	LC50: =5000mg/L (96h, <i>Brachydanio rerio</i> )	-	EC50: =7600mg/L (48h, <i>Ceriodaphnia dubia</i> )
Sodium benzoate 532-32-1	-	LC50: 420 - 558mg/L (96h, <i>Pimephales promelas</i> ) LC50: >100mg/L (96h, <i>Pimephales promelas</i> )	-	EC50: <650mg/L (48h, <i>Daphnia magna</i> )

Benzoic acid 65-85-0	-	LC50: =44.6mg/L (96h, Lepomis macrochirus)	-	EC50: =860mg/L (48h, Daphnia magna)
-------------------------	---	---	---	--

**Persistence and degradability** No information available.

**Bioaccumulation** There is no data for this product.

Chemical name	Partition coefficient
White mineral oil (petroleum) 8042-47-5	6
Polybutene 9003-29-6	7.8
Disodium sebacate 17265-14-4	-4.9
Phosphorothioic acid, O,O,O-triphenyl ester 597-82-0	5
4,4'-methylene bis(dibutyldithiocarbamate) 10254-57-6	8.42
Sodium benzoate 532-32-1	-2.13
Benzoic acid 65-85-0	1.88

**Other adverse effects** No information available.

### 13. Disposal considerations

#### Disposal methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. Transport information

**DOT** Not regulated  
**UN number or ID number** Not applicable.  
**Proper shipping name** Not applicable  
**Packing group** Not applicable.  
**DOT Marine Pollutant** M

**IATA** Not regulated

**IMDG** Not regulated  
**Marine pollutant** No

### 15. Regulatory information

#### International Inventories



TSCA Complies.

DSL/NDL Complies.  
 EINECS/ELINCS Complies.  
 ENCS Complies.  
 IECSC Complies.  
 KECI Complies.  
 PICCS Complies.  
 AIIC Complies.  
 NZIoC Complies.

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECI** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
zinc oxide - 1314-13-2	1.0

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
zinc oxide 1314-13-2	-	X	-	-
Benzoic acid 65-85-0	5000 lb	-	-	X

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Benzoic acid 65-85-0	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
zinc oxide 1314-13-2	X	X	X
Precipitated calcium carbonate 471-34-1	X	X	X
Tetrasodium pyrophosphate 7722-88-5	X	X	X
Synthetic amorphous, pyrogenic silica 112945-52-5	-	X	X
Benzoic acid 65-85-0	X	X	X

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. Other information**

**NFPA** Health hazards 0 Flammability 1 Instability 0 Special hazards -  
**HMIS** Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
 Ceiling Maximum limit value Sk\* Skin designation

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

**Revision date** 03/19/2024

**Revision Note**

No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**