# SAFETY DATA SHEET



Revision date 03/20/2024 Revision Number 4

# 1. Identification

**Product identifier** 

Product Name No. 3000-W

Other means of identification

Safety data sheet number 04859

Product Code(s) L0107-035, L0107-039, L0107-040, L0107-041, L0107-098, L0107-040B

**UN number or ID number** Not applicable.

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

**Restrictions on use**No information available

Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Lubriplate Lubricants Company Headquarters 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806

## Emergency telephone number

Emergency Telephone Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)

# 2. Hazard(s) identification

## Classification

Skin sensitization Category 1

## Hazards not otherwise classified (HNOC)

Not applicable

# Label elements

## Warning

## Hazard statements

May cause an allergic skin reaction



Appearance solid Physical state Solid Odor Mild

#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

May be harmful if swallowed. May be harmful in contact with skin. Harmful to aquatic life with long lasting effects. Toxic to aquatic

# 3. Composition/information on ingredients

#### **Substance**

Not applicable.

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%	Trade secret
Distillates (petroleum), hydrotreated heavy	64742-52-5	65 - <85%	*
naphthenic			
Molybdenum disulfide	1317-33-5	3 - <7%	*
zinc oxide	1314-13-2	1 - <5%	*
Antimony tris[O,O-dipropyl] tris(dithiophosphate)	15874-48-3	1 - <5%	*
Carbon graphite	7782-42-5	1 - <5%	*
Zinc bis(dibutyldithiocarbamate)	136-23-2	0.1 - <1%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First-aid measures

## **Description of first aid measures**

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

**Eve contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

May cause sensitization in susceptible persons. Treat symptomatically. Note to physicians

# 5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal Personal precautions

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

# Handling and storage

## Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

## Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. Exposure controls/personal protection

#### Control parameters

**Exposure Limits** 

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Distillates (petroleum),	TWA: 5 mg/m <sup>3</sup> inhalable	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
hydrotreated heavy naphthenic	particulate matter excluding	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
64742-52-5	metal working fluids, highly &		STEL: 10 mg/m <sup>3</sup>
	severely refined		15111 / 011
Molybdenum disulfide	TWA: 10 mg/m <sup>3</sup> Mo inhalable	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m³ Mo
1317-33-5	particulate matter TWA: 3 mg/m³ Mo respirable	(vacated) TWA: 10 mg/m <sup>3</sup> Mo	
	particulate matter		
zinc oxide	STEL: 10 mg/m³ respirable	TWA: 5 mg/m³ fume	IDLH: 500 mg/m <sup>3</sup>
1314-13-2	particulate matter	TWA: 15 mg/m³ total dust	Ceiling: 15 mg/m³ dust
	TWA: 2 mg/m³ respirable	TWA: 5 mg/m³ respirable	TWA: 5 mg/m <sup>3</sup> dust and fume
	particulate matter	fraction	STEL: 10 mg/m³ fume
		(vacated) TWA: 5 mg/m³ fume	
		(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
		(vacated) STEL: 10 mg/m <sup>3</sup> fume	
Antimony tris[O,O-dipropyl]	TWA: 0.5 mg/m³ Sb	TWA: 0.5 mg/m³ Sb	IDLH: 50 mg/m <sup>3</sup> Sb
tris(dithiophosphate)	3	(vacated) TWA: 0.5 mg/m <sup>3</sup> Sb	TWA: 0.5 mg/m³ Sb
15874-48-3		,	· ·
Carbon graphite	TWA: 2 mg/m³ respirable	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m <sup>3</sup>
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m³ natural
	except graphite fibers	TWA: 5 mg/m³ respirable	respirable dust
		fraction synthetic	
		TWA: 15 mppcf respirable dust natural	
		(vacated) TWA: 2.5 mg/m <sup>3</sup>	
		respirable dust natural	
		(vacated) TWA: 10 mg/m³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	

## **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid
Appearance solid
Color black
Odor Mild

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boiling range>288 °C / 550.4 °F>288°C (>550.4°F)Flash point> 210 °C / 410.0 °FNone known

**Evaporation rate** No data available < 0.01 (butyl acetate = 1)

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

<0.0013 kPa @ 25°C None known Vapor pressure Relative vapor density > 5 None known 0.96 Relative density None known No data available Insoluble in water Water solubility None known Solubility(ies) No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known None known **Decomposition temperature** 

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

# 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid**None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May be harmful in contact with skin.

**Ingestion** Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 4,075.10 mg/kg

 ATEmix (dermal)
 4,782.30 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum),	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
hydrotreated heavy naphthenic			
64742-52-5			
Molybdenum disulfide	-	-	> 2820 mg/m³ (Rat) 4 h
1317-33-5			
zinc oxide	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5700 mg/m³ (Rat) 4 h
1314-13-2			
Carbon graphite	-	-	> 2000 mg/m³ (Rat) 4 h
7782-42-5			

Zinc bis(dibutyldithiocarbamate)	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
136-23-2			

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Aspiration hazard

No information available.

Other adverse effects

No information available.

Interactive effects No information available.

# 12. Ecological information

**Ecotoxicity** 

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
zinc oxide 1314-13-2	-	LC50: =1.55mg/L (96h, Danio rerio)	-	-
Carbon graphite 7782-42-5	-	LC50: >100mg/L (96h, Danio rerio)	-	-
Zinc bis(dibutyldithiocarbamat e) 136-23-2	-	LC50: =880mg/L (96h, Lepomis macrochirus) LC50: =520mg/L (96h, Oncorhynchus mykiss)	-	EC50: =0.74mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

**Bioaccumulation** There is no data for this product.

Other adverse effects No information available.

# 13. Disposal considerations

**Disposal methods** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

Note: For limited quantity packaging/limited load information, consult the relevant modal

documentation using the data shown in this section.

Always transport in closed containers that are upright and secure. Ensure that persons Special precautions:

transporting the product know what to do in the event of an accident or spillage.

DOT Not regulated

**Notes** This product is not regulated for road transportation in accordance with 49 CFR

Exceptions.

**UN** number or ID number Not applicable. Not applicable Proper shipping name Packing group Not applicable.

**DOT Marine Pollutant** Μ

Not regulated IATA

UN number or ID number UN3077

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS Zinc

bis(dibutyldithiocarbamate), zinc oxide)

Transport hazard class(es) 9

Ш

**Packing group** 

**IMDG** Not regulated

UN number or ID number UN3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS Zinc UN proper shipping name

bis(dibutyldithiocarbamate), zinc oxide)

Transport hazard class(es)

**Packing group** 

Ш F-A, S-F EmS-No. Marine pollutant Yes

**Transport Label** 



# 15. Regulatory information

#### **International Inventories**

TSCA Complies.

Complies. **DSL/NDSL** Complies. **EINECS/ELINCS ENCS** Complies. **IECSC** Complies. **KECI** Complies. Complies. **PICCS** Complies. **AIIC NZIoC** Complies.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
zinc oxide - 1314-13-2	1.0	
Antimony tris[O,O-dipropyl] tris(dithiophosphate) - 15874-48-3	1.0	
Zinc bis(dibutyldithiocarbamate) - 136-23-2	1.0	

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
,	Quantities			Substances
zinc oxide	-	X	-	-
1314-13-2				
Antimony	-	X	-	-
tris[O,O-dipropyl]				
tris(dithiophosphate)				
15874-48-3				
Zinc		X	_	_
I	-	^	_	-
bis(dibutyldithiocarbamat				
e)				
136-23-2				

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	X	X	Х
Molybdenum disulfide 1317-33-5	-	Х	-
zinc oxide 1314-13-2	Χ	Х	Х
Antimony tris[O,O-dipropyl] tris(dithiophosphate) 15874-48-3	X	-	X
Carbon graphite 7782-42-5	X	Х	Х
Zinc bis(dibutyldithiocarbamate) 136-23-2	Х	-	Х
Carbon black 1333-86-4	Х	Х	Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. Other information

Health hazards 2 NFPA Flammability 1 Instability 0 Special hazards -**HMIS** Health hazards 2 \* Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend

\* = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Skin designation Sk\*

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 03/20/2024

**Revision Note**No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 11/11