PREVENTS WEAR and CORROSION SUPER-LUBRICATION WE'S The Film. R

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision date 03/19/2024 Revision Number 5

1. Identification

Product identifier

Product Name Mag-1

Other means of identification

Safety data sheet number 04866

Product Code(s) L0189-004, L0189-035, L0189-039, L0189-040, L0189-048, L0189-098, L0189-100,

L0189-039NL, L0189-040NL, L0189-040B

UN number or ID number Not applicable.

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Lubriplate Lubricants Company Headquarters 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806

Emergency telephone number

Emergency Telephone Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)

2. Hazard(s) identification

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance solid Physical state Solid Odor Mild

Other information

May be harmful if swallowed. May be harmful in contact with skin. Harmful to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

| Chemical name | CAS No. | Weight-% | Trade secret |
|---|------------|-----------|--------------|
| Distillates (petroleum), hydrotreated heavy | 64742-52-5 | 10 - <30% | * |
| naphthenic | | | |
| Polybutene | 9003-29-6 | 10 - <30% | * |
| zinc oxide | 1314-13-2 | 1 - <5% | * |
| Antimony tris[O,O-dipropyl] tris(dithiophosphate) | 15874-48-3 | 1 - <5% | * |
| Precipitated calcium carbonate | 471-34-1 | 1 - <5% | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH | |
|-------------------------------------|---------------------------------------|---|--|--|
| Distillates (petroleum), | TWA: 5 mg/m ³ inhalable | TWA: 5 mg/m ³ | IDLH: 2500 mg/m ³ | |
| hydrotreated heavy naphthenic | particulate matter excluding | (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | |
| 64742-52-5 | metal working fluids, highly & | | STEL: 10 mg/m ³ | |
| | severely refined | | | |
| zinc oxide | STEL: 10 mg/m ³ respirable | TWA: 5 mg/m³ fume | IDLH: 500 mg/m ³ | |
| 1314-13-2 | particulate matter | TWA: 15 mg/m³ total dust | Ceiling: 15 mg/m ³ dust | |
| | TWA: 2 mg/m ³ respirable | TWA: 5 mg/m ³ respirable | TWA: 5 mg/m ³ dust and fume | |
| | particulate matter | fraction | STEL: 10 mg/m ³ fume | |
| | | (vacated) TWA: 5 mg/m ³ fume | | |
| | | (vacated) TWA: 10 mg/m³ total | | |
| | | dust | | |
| | | (vacated) TWA: 5 mg/m ³ | | |
| | | respirable fraction | | |
| | | (vacated) STEL: 10 mg/m ³ | | |
| | | fume | | |
| Antimony tris[O,O-dipropyl] | TWA: 0.5 mg/m ³ Sb | TWA: 0.5 mg/m ³ Sb | IDLH: 50 mg/m ³ Sb | |
| tris(dithiophosphate) 15874-48-3 | | (vacated) TWA: 0.5 mg/m³ Sb | TWA: 0.5 mg/m ³ Sb | |
| Precipitated calcium carbonate | - | TWA: 15 mg/m³ total dust | TWA: 10 mg/m ³ total dust | |
| 471-34-1 | | TWA: 5 mg/m³ respirable | TWA: 5 mg/m ³ respirable dust | |
| | | fraction | . | |
| | | (vacated) TWA: 15 mg/m3 total | | |
| | | dust | | |
| | | (vacated) TWA: 5 mg/m ³ | | |
| | | respirable fraction | | |

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateSolidAppearancesolidColorOff-whiteOdorMild

Odor threshold No information available

Property Values Remarks • Method

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boiling range>288 °C / 550.4 °F>288°C (>550.4°F)

Flash point > 168 °C / 334.4 °F None known

Evaporation rate No data available < 0.01 (butyl acetate = 1)

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

<0.0013 kPa @ 25°C None known Vapor pressure Relative vapor density None known > 5 Relative density 0.87 - 0.89None known Water solubility No data available Insoluble in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

Explosive properties

Oxidizing properties

No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 4,061.50 mg/kg

 ATEmix (dermal)
 4,247.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--------------------|-----------------------|-------------------------|
| Distillates (petroleum), hydrotreated heavy naphthenic | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| 64742-52-5 | | | |
| Polybutene 9003-29-6 | - | > 2000 mg/kg (Rat) | > 19171 mg/m³ (Rat) 4 h |
| zinc oxide 1314-13-2 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5700 mg/m³ (Rat) 4 h |
| Precipitated calcium carbonate 471-34-1 | = 6450 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 3 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Respiratory system, Eyes, Skin, Central Vascular System (CVS).

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|--------------------------|----------------------|-----------------------|----------------|-----------------------|
| | | | microorganisms | |
| Distillates (petroleum), | - | LC50: >5000mg/L (96h, | - | EC50: >1000mg/L (48h, |
| hydrotreated heavy | | Oncorhynchus mykiss) | | Daphnia magna) |
| naphthenic | | | | |
| 64742-52-5 | | | | |
| Polybutene | - | - | - | EC50: >100mg/L (48h, |
| 9003-29-6 | | | | Daphnia magna) |
| zinc oxide | - | LC50: =1.55mg/L (96h, | - | - |
| 1314-13-2 | | Danio rerio) | | |

Persistence and degradability

No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient | |
|---------------|-----------------------|--|
| Polybutene | 7.8 | |
| 9003-29-6 | | |

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

California Hazardous Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

Note:

For limited quantity packaging/limited load information, consult the relevant modal

documentation using the data shown in this section.

Special precautions: Always transport in closed containers that are upright and secure. Ensure that persons

transporting the product know what to do in the event of an accident or spillage.

DOT Not regulated

Notes This product is not regulated for road transportation in accordance with 49 CFR

Exceptions.

UN number or ID number
Proper shipping name
Packing group

Not applicable.
Not applicable.

<u>IATA</u>

Notes This product is not regulated when net quantities per single inner package are

≤5liters or ≤5 kilograms.

UN number or ID number UN3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide,

antimony tris[O,O-dipropyl] tris(dithiophosphate))

Transport hazard class(es) 9
Packing group |||

IMDG

Notes This product is not regulated when net quantities per single inner package are

≤5liters or ≤5 kilograms.

UN number or ID number UN3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide,

antimony tris[O,O-dipropyl] tris(dithiophosphate))

Transport hazard class(es) 9
Packing group | | |

EmS-No.

Marine pollutant

9 III F-A, S-F



15. Regulatory information

International Inventories

TSCA Complies.

DSL/NDSL Complies. **EINECS/ELINCS** Complies. Complies. **ENCS IECSC** Complies. Complies. **KECI** Complies. **PICCS** Complies. AIIC Complies. **NZIoC**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % |
|--|-------------------------------|
| zinc oxide - 1314-13-2 | 1.0 |
| Antimony tris[O,O-dipropyl] tris(dithiophosphate) - 15874-48-3 | 1.0 |

Revision date 03/19/2024

Mag-1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical name | CWA - Reportable | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous |
|-----------------------|------------------|------------------------|---------------------------|-----------------|
| | Quantities | | | Substances |
| zinc oxide | - | X | - | - |
| 1314-13-2 | | | | |
| Antimony | - | X | - | - |
| tris[O,O-dipropyl] | | | | |
| tris(dithiophosphate) | | | | |
| 15874-48-3 | | | | |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Distillates (petroleum), | - | X | - |
| hydrotreated light naphthenic 64742-53-6 | | | |
| Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5 | X | X | X |
| zinc oxide 1314-13-2 | X | X | Х |
| Antimony tris[O,O-dipropyl] tris(dithiophosphate) 15874-48-3 | X | - | X |
| Precipitated calcium carbonate 471-34-1 | Х | X | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards0Flammability1Instability0Special hazards-HMISHealth hazards1Flammability1Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 03/19/2024

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet