# PREVENTS WEAR AND CORROSION SUPER-LUBRICATION R PREVENTS WEAR AND CORROSION SUPER-LUBRICATION

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision date 12/03/2024 Revision Number 5.01

# 1. Identification

**Product identifier** 

Product Name Syn GR-132

Other means of identification

Safety data sheet number 04876

Product Code(s) L0336-035, L0336-039, L0336-040, L0336-048, L0336-098, L0336-040B

UN number or ID number Not applicable.

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

**Restrictions on use**No information available

Details of the supplier of the safety data sheet

# **Manufacturer Address**

Lubriplate Lubricants Company Headquarters 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806

# Emergency telephone number

Emergency Telephone Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)

# 2. Hazard(s) identification

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

### Hazard statements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance solid Physical state Solid Odor Mild

### Other information

May be harmful in contact with skin. Harmful to aquatic life with long lasting effects.

# 3. Composition/information on ingredients

### Substance

Not applicable.

### <u>Mixture</u>

Chemical name	CAS No.	Weight-%	Trade secret
1-Decene, dimer, hydrogenated	68649-11-6	10 - <30%	*
zinc oxide	1314-13-2	0.5 - <1.5%	*
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8	0.5 - <1.5%	*
2,6-di-tert-butylphenol	128-39-2	0.1 - <1%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First-aid measures

### **Description of first aid measures**

**Inhalation** Remove to fresh air.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Ingestion** Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

# 5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

# 7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

# 8. Exposure controls/personal protection

Control parameters

**Exposure Limits**The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
zinc oxide	STEL: 10 mg/m³ respirable	TWA: 5 mg/m³ fume	IDLH: 500 mg/m <sup>3</sup>
1314-13-2	particulate matter	TWA: 15 mg/m³ total dust	Ceiling: 15 mg/m <sup>3</sup> dust

TWA: 2 mg/m³ respirable	TWA: 5 mg/m³ respirable	TWA: 5 mg/m <sup>3</sup> dust and fume
particulate matter	fraction	STEL: 10 mg/m³ fume
	(vacated) TWA: 5 mg/m <sup>3</sup> fume	-
	(vacated) TWA: 10 mg/m³ total	
	dust	
	(vacated) TWA: 5 mg/m <sup>3</sup>	
	respirable fraction	
	(vacated) STEL: 10 mg/m <sup>3</sup>	
	fume	

### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** No special protective equipment required.

**Skin and body protection**No special protective equipment required.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateSolidAppearancesolidColorbeigeOdorMild

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data available None known

Melting point / freezing point No data available None known

Initial boiling point and boiling range> 288 °C / 550.4 °F > 288°C (>550.4°F)

Flash point > 196 °C / 384.8 °F None known

**Evaporation rate** No data available < 0.01 (butyl acetate = 1)

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

<0.0013 kPa @ 25°C Vapor pressure None known > 5 None known Relative vapor density Relative density 0.87 None known No data available Insoluble in water Water solubility None known Solubility(ies) No data available None known Partition coefficient No data available None known

Autoignition temperature

No data available

No have a valiable

None known

None known

None known

Kinematic viscosity

No data available

None known

**Dynamic viscosity** No data available None known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

# 10. Stability and reactivity

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid**None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** May be harmful in contact with skin.

**Ingestion** Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

**Acute toxicity** 

**Numerical measures of toxicity** 

### The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 10,065.40 mg/kg

 ATEmix (dermal)
 3,768.30 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1-Decene, dimer, hydrogenated	-	> 3000 mg/kg (Rabbit)	= 0.9 mg/L (Rat) 4 h
68649-11-6			= 1.4 mg/L (Rat) 4 h
zinc oxide	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5700 mg/m³ (Rat) 4 h

1314-13-2			
Zinc bis[O,O-bis(2-ethylhexyl)]	= 3100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
bis(dithiophosphate)			
4259-15-8			
2,6-di-tert-butylphenol	> 5000 mg/kg (Rat)	> 10 g/kg (Rabbit)	-
128-39-2			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Aspiration hazard

Other adverse effects

No information available.

Interactive effects

No information available.

# 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
zinc oxide	-	LC50: =1.55mg/L (96h,	-	-
1314-13-2		Danio rerio)		
Zinc	EC50: 1.0 - 5.0mg/L (96h,	LC50: 10.0 - 35.0mg/L	-	EC50: 1 - 1.5mg/L (48h,
bis[O,O-bis(2-ethylhexyl)]	Pseudokirchneriella	(96h, Pimephales		Daphnia magna)
bis(dithiophosphate)	subcapitata)	promelas)		
4259-15-8		LC50: 1.0 - 5.0mg/L (96h,		
		Pimephales promelas)		
2,6-di-tert-butylphenol	-	-	-	EC50: =0.45mg/L (48h,
128-39-2				Daphnia magna)

Persistence and degradability No information available.

### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient
1-Decene, dimer, hydrogenated	6.5
68649-11-6	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	3.59
4259-15-8	
2,6-di-tert-butylphenol	4.5
128-39-2	

Other adverse effects

No information available.

# 13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

# 14. Transport information

Note: The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

DOTNot regulatedUN number or ID numberNot applicable.Proper shipping nameNot applicablePacking groupNot applicable.

IATA Not regulated

IMDG Not regulated

Marine pollutant No

# 15. Regulatory information

# International Inventories

TSCA Complies.

\*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL Complies.
EINECS/ELINCS Complies.
ENCS Complies.
IECSC Complies.
KECI Complies.
PICCS Complies.

AIIC Complies. NZIOC Complies.

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
zinc oxide - 1314-13-2	1.0
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) - 4259-15-8	1.0

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
zinc oxide	-	X	-	-
1314-13-2				
Zinc	-	X	-	-
bis[O,O-bis(2-ethylhexyl)]				
bis(dithiophosphate)				
4259-15-8				

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name New Jersey Massachusetts Pennsylv	ania
Zinc bis[O,O-bis(2-ethylhexyl)] X - X	
bis(dithiophosphate)	
4259-15-8	

zinc oxide 1314-13-2	X	X	Х
Distillates (petroleum), hydrotreated light paraffinic 64742-55-8	X	X	X
Crystalline silica 14808-60-7	X	Х	Х

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. Other information

NFPAHealth hazards2Flammability1Instability0Special hazards-HMISHealth hazards2Flammability1Physical hazards0Personal protectionX

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 12/03/2024

**Revision Note**No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**