

Revision date 03/20/2024

1. Identification

Product identifier		
Product Name	Stamping Oil No.7	
Other means of identification		
Safety data sheet number	04953	
Product Code(s)	F0560-060, F0560-062	
UN number or ID number	Not applicable.	
Synonyms	None	
Recommended use of the chemical and restrictions on use		
Recommended use	No information available	
Restrictions on use	No information available	
Details of the supplier of the safety data sheet		

Manufacturer Address

Lubriplate Lubricants Company Headquarters 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806

Emergency telephone number

Emergency Telephone

Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Aspiration hazard	Category 1
Flammable liquids	Category 3

Hazards not otherwise classified (HNOC)



This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision Number 3

Not applicable

Label elements		
Danger		
Hazard statements Causes skin irritation Causes serious eye irritation May cause respiratory irritation. May May be fatal if swallowed and enters Flammable liquid and vapor		
Appearance Liquid	Physical state Liquid	Odor Mild

Take action to prevent static discharges

Wear protective gloves/eye protection/face protection

Keep cool

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful in contact with skin. Toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Trade secret
Naphtha (petroleum), heavy alkylate	64741-65-7	80 - 100%	*
Butyl n-stearate	123-95-5	10 - <30%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.	
5. Fire-fighting measures		

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	Yes.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
Methods and material for conta	inment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,
sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static
electricity). Keep in properly labeled containers. Do not store near combustible materials.
Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Butyl n-stearate 123-95-5	TWA: 10 mg/m ³ inhalable particulate matter except stearates of toxic metals TWA: 3 mg/m ³ respirable particulate matter except stearates of toxic metals	-	_

Appropriate engineering controls

Engineering controls	Showers	
	Eyewash stations	
	Ventilation systems.	

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties				
Physical state	Liquid			
Appearance	Liquid			
Color	Colourless			
Odor	Mild			
Odor threshold	No information available			
<u>Property</u> pH	<u>Values</u> No data available	Remarks • Method None known		

Melting point / freezing point	No data available e> 177 °C / 350.6 °F	None known >177°C/>351°F	
Initial boiling point and boiling rang			
Flash point	> 52 °C / 126 °F	None known	
Evaporation rate	No data available	< 0.01 (butyl acetate = 1)	
Flammability	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability or explosive limits	No data available		
Lower flammability or explosive limits	No data available		
Vapor pressure	<0.0013 kPa @ 25°C	None known	
Relative vapor density	> 5	None known	
Relative density	0.78	None known	
Water solubility	No data available Insoluble in water	None known	
Solubility(ies)	No data available	None known	
Partition coefficient	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature		None known	
Kinematic viscosity	1 cSt @ 40°C	None known	
Dynamic viscosity	No data available	None known	
Other information_			
Explosive properties	No information available		
Oxidizing properties	No information available		
Softening point	No information available		
Molecular weight	No information available		
VOC content	No information available		
Liquid Density	No information available		
Bulk density	No information available		
-			

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.		
Symptoms related to the physical, chemical and toxicological characteristics			

SymptomsDifficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness
and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like
headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	7,593.20 mg/kg
ATEmix (dermal)	2,222.20 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapor)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha (petroleum), heavy alkylate 64741-65-7	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	>5.04 mg/L (Rat)4 h
Butyl n-stearate 123-95-5	= 32 g/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation. May cause skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways.

Other adverse effects

Interactive effects

No information available.

No information available.

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Naphtha (petroleum), heavy alkylate 64741-65-7	EC50: =30000mg/L (72h, Pseudokirchneriella subcapitata)	-	-	LC50: =2mg/L (48h, Mysidopsis bahia)

Persistence and degradability

No information available.

Bioaccumulation	There is no data for this product.

Other adverse effects

No information available.

13. Disposal considerations			
Disposal methods			
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.		

14. Transport information

DOT Notes UN number or ID number Proper shipping name Packing group	Not regulated This product is not regulated for road transportation in accordance with 49 CFR Exceptions. Not applicable. Not applicable Not applicable.
IATA UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description	UN1268 PETROLEUM DISTILLATES, N.O.S., (naphtha (petroleum), heavy alkylate) 3 III Flash Point 52°C (126°F)
IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group	UN1268 PETROLEUM DISTILLATES, N.O.S., (naphtha (petroleum), heavy alkylate) 3 III

EmS-No. Marine pollutant Description

Transport Label

F-E, S-E Yes Flash Point 52°C (126°F)



15. Regulatory information

International Inventories

TSCA

Complies.

Complies. Complies. Complies. Complies.
Complies. Complies.
Complies. Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information						
NFPA HMIS	Health hazards Health hazards		Flammability Flammability		Instability 0 Physical hazards 0	Special hazards - Personal protection X
Key or legend to abbreviations and acronyms used in the safety data sheet						
	8: Exposure controls/p					-
TWA Ceiling	TWA (time-weighted av Maximum limit value	erage)		STEL Sk*	STEL (Short Terr Skin designation	n Exposure Limit)
Agency for Toxic S U.S. Environmenta European Food Sa Environmental Prot Acute Exposure Gu U.S. Environmenta V.S. Environmenta Food Research Jou Hazardous Substat International Unifor National Institute of Australia National I NIOSH (National In National Library of U.S. National Toxic New Zealand's Che Organization for Ec Organization for Ec	uideline Level(s) (AEGL(I Protection Agency Fed I Protection Agency High urnal nce Database rm Chemical Information f Technology and Evalua Industrial Chemicals Noti Institute for Occupational Medicine's ChemID Plus Medicine's PubMed data cology Program (NTP) emical Classification and conomic Co-operation an conomic Co-operation an isonomic Co-operation an isonomic Co-operation an	Registry mView s)) eral Inso Product Product Databa tion (NI fication Safety a s (NLM (abase (N Informa d Deve d Deve d Deve	(ATSDR) Database Database ecticide, Fungici ction Volume Ch se (IUCLID) TE) and Assessmer and Health) CIP) JLM PUBMED) ation Database lopment Enviror lopment High Pu lopment Screen	ide, and R hemicals nt Scheme (CCID) hment, He roduction '	odenticide Act • (NICNAS) alth, and Safety Publicatio Volume Chemicals Progra	
Revision date		20/2024				
Revision Note Disclaimer	NOI	ntormat	ion available.			
	provided in this Safety I	Data Sh	eet is correct t	to the bes	t of our knowledge info	rmation and belief at the
						use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet