



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision date 03/19/2024

Revision Number 2

1. Identification

Product identifier

Product Name GR-399

Other means of identification

Safety data sheet number 04990

Product Code(s) L0157-035, L0157-039, L0157-040, L0157-041

UN number or ID number Not applicable.

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Lubriplate Lubricants Company Headquarters
129 Lockwood St.
Newark, NJ 07105
Midwest Office & Plant
1500 Oakdale Ave.
Toledo, OH 43605
419-691-2491
419-693-3806

Emergency telephone number

Emergency Telephone Chem-Tel 1-800-255 3924 (US & Canada only)
01-813-248-0585 (Outside US & Canada)

2. Hazard(s) identification

Classification

| | |
|--------------------|------------|
| Skin sensitization | Category 1 |
|--------------------|------------|

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Warning**Hazard statements**

May cause an allergic skin reaction

**Appearance** solid**Physical state** Solid**Odor** Mild**Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray
 Contaminated work clothing must not be allowed out of the workplace
 Wear protective gloves

IF ON SKIN: Wash with plenty of water and soap
 If skin irritation or rash occurs: Get medical advice/attention
 Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful in contact with skin. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients**Substance**

Not applicable.

Mixture

| Chemical name | CAS No. | Weight-% | Trade secret |
|--|------------|-----------|--------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 10 - <30% | * |
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 10 - <30% | * |
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 10 - <30% | * |
| Lithium stearate | 4485-12-5 | 5 - <10% | * |
| zinc oxide | 1314-13-2 | 5 - <10% | * |
| Zinc bis(dibutyldithiocarbamate) | 136-23-2 | 0.1 - <1% | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures**Description of first aid measures****General advice** Show this safety data sheet to the doctor in attendance.**Inhalation** Remove to fresh air.

| | |
|---------------------|--|
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin contact | Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. |
| Ingestion | Rinse mouth. |

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | Product is or contains a sensitizer. May cause sensitization by skin contact. |
| Explosion data | |
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge | None. |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|--|--|---|--|
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | TWA: 5 mg/m ³ inhalable particulate matter excluding metal working fluids, highly & severely refined | TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³ | IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³ |
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | TWA: 5 mg/m ³ inhalable particulate matter excluding metal working fluids, highly & severely refined | TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³ | IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³ |
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | TWA: 5 mg/m ³ inhalable particulate matter excluding metal working fluids, highly & severely refined | TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³ | IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³ |
| Lithium stearate 4485-12-5 | TWA: 10 mg/m ³ inhalable particulate matter except stearates of toxic metals TWA: 3 mg/m ³ respirable particulate matter except stearates of toxic metals | - | - |
| zinc oxide 1314-13-2 | STEL: 10 mg/m ³ respirable particulate matter TWA: 2 mg/m ³ respirable particulate matter | TWA: 5 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 5 mg/m ³ fume (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction (vacated) STEL: 10 mg/m ³ fume | IDLH: 500 mg/m ³ Ceiling: 15 mg/m ³ dust TWA: 5 mg/m ³ dust and fume STEL: 10 mg/m ³ fume |

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------------|--|
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Hand protection | Wear suitable gloves. |
| Skin and body protection | Wear suitable protective clothing. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. |

9. Physical and chemical properties

Information on basic physical and chemical properties

| | |
|-----------------------|--------------------------|
| Physical state | Solid |
| Appearance | solid |
| Color | Off-white |
| Odor | Mild |
| Odor threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|---------------------|----------------------------|
| pH | No data available | None known |
| Melting point / freezing point | No data available | None known |
| Initial boiling point and boiling range | > 288 °C / 550.4 °F | >288°C (>550.4°F) |
| Flash point | > 216 °C / 420.8 °F | None known |
| Evaporation rate | No data available | < 0.01 (butyl acetate = 1) |
| Flammability | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Vapor pressure | <0.0013 kPa @ 25°C | None known |
| Relative vapor density | > 5 | None known |
| Relative density | 0.99 | None known |
| Water solubility | No data available | Insoluble in water |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other information

| | |
|-----------------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening point | No information available |
| Molecular weight | No information available |
| VOC content | No information available |
| Liquid Density | No information available |
| Bulk density | No information available |

10. Stability and reactivity

| | |
|---------------------------|---------------------------------|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |

| | |
|---|---|
| Possibility of hazardous reactions | None under normal processing. |
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | None known based on information supplied. |
| Hazardous decomposition products | None known based on information supplied. |

11. Toxicological information

Information on likely routes of exposure

Product Information

| | |
|---------------------|--|
| Inhalation | Specific test data for the substance or mixture is not available. |
| Eye contact | Specific test data for the substance or mixture is not available. |
| Skin contact | May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May be harmful in contact with skin. |
| Ingestion | Specific test data for the substance or mixture is not available. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|-----------------|-------------------------|
| Symptoms | Itching. Rashes. Hives. |
|-----------------|-------------------------|

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|--------------------------------------|-----------------|
| ATEmix (oral) | 11,233.40 mg/kg |
| ATEmix (dermal) | 4,420.80 mg/kg |
| ATEmix (inhalation-gas) | 99,999.00 ppm |
| ATEmix (inhalation-dust/mist) | 99,999.000 mg/l |
| ATEmix (inhalation-vapor) | 99,999.00 mg/l |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|----------------------|-------------------------|--------------------------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | > 15 g/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | > 15 g/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | > 15 g/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| Lithium stearate 4485-12-5 | = 15 g/kg (Rat) | - | - |
| zinc oxide 1314-13-2 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5700 mg/m ³ (Rat) 4 h |
| Zinc bis(dibutyldithiocarbamate) 136-23-2 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|--------------------------------------|
| Skin corrosion/irritation | No information available. |
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | May cause an allergic skin reaction. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |
| Other adverse effects | No information available. |
| Interactive effects | No information available. |

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|----------------------|--|----------------------------|--|
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | - | LC50: >5000mg/L (96h, <i>Oncorhynchus mykiss</i>) | - | EC50: >1000mg/L (48h, <i>Daphnia magna</i>) |
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | - | LC50: >5000mg/L (96h, <i>Oncorhynchus mykiss</i>) | - | EC50: >1000mg/L (48h, <i>Daphnia magna</i>) |
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | - | LC50: >5000mg/L (96h, <i>Oncorhynchus mykiss</i>) | - | EC50: >1000mg/L (48h, <i>Daphnia magna</i>) |
| zinc oxide 1314-13-2 | - | LC50: =1.55mg/L (96h, <i>Danio rerio</i>) | - | - |
| Zinc bis(dibutylidithiocarbamate) 136-23-2 | - | LC50: =880mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =520mg/L (96h, <i>Oncorhynchus mykiss</i>) | - | EC50: =0.74mg/L (48h, <i>Daphnia magna</i>) |

Persistence and degradability No information available.

| | |
|-----------------------|------------------------------------|
| Bioaccumulation | There is no data for this product. |
| Other adverse effects | No information available. |

13. Disposal considerations

Disposal methods

| | |
|-------------------------------------|---|
| Waste from residues/unused products | Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
| Contaminated packaging | Do not reuse empty containers. |
| California Hazardous Waste Status | This product contains one or more substances that are listed with the State of California as a hazardous waste. |

14. Transport information

| | |
|-----------------------------|--|
| Note: | For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section. |
| Special precautions: | Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. |
| DOT | Not regulated |
| Notes | This product is not regulated for road transportation in accordance with 49 CFR Exceptions. |
| UN number or ID number | Not applicable. |
| Proper shipping name | Not applicable |
| Packing group | Not applicable. |
| IATA | |
| Notes | This product is not regulated when net quantities per single inner package are ≤5 liters or ≤5 kilograms. |
| UN number or ID number | UN3077 |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide, Zinc bis(dibutylidithiocarbamate)) |
| Transport hazard class(es) | 9 |
| Packing group | III |
| IMDG | |
| Notes | This product is not regulated when net quantities per single inner package are ≤5 liters or ≤5 kilograms. |
| UN number or ID number | UN3077 |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide, Zinc bis(dibutylidithiocarbamate)) |
| Transport hazard class(es) | 9 |
| Packing group | III |
| EmS-No. | F-A, S-F |
| Marine pollutant | Yes |
| Transport Label | |



15. Regulatory information

International Inventories

TSCA Complies.

DSL/NDSL Complies.
 EINECS/ELINCS Complies.
 ENCS Complies.
 IECSC Complies.
 KECI Complies.
 PICCS Complies.
 AIIC Complies.
 NZIoC Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % |
|---|-------------------------------|
| zinc oxide - 1314-13-2 | 1.0 |
| Zinc bis(dibutyldithiocarbamate) - 136-23-2 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| zinc oxide 1314-13-2 | - | X | - | - |
| Zinc bis(dibutyldithiocarbamate) | - | X | - | - |

| | | | | |
|----------|--|--|--|--|
| 136-23-2 | | | | |
|----------|--|--|--|--|

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | X | X | X |
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | X | X | X |
| Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7 | X | X | X |
| zinc oxide 1314-13-2 | X | X | X |
| Zinc bis(dibutyldithiocarbamate) 136-23-2 | X | - | X |
| Crystalline silica 14808-60-7 | X | X | X |
| diphenylamine 122-39-4 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

| | | | | |
|-------------|-------------------------|-----------------------|---------------------------|------------------------------|
| NFPA | Health hazards 2 | Flammability 1 | Instability 0 | Special hazards - |
| HMIS | Health hazards 2 | Flammability 1 | Physical hazards 0 | Personal protection X |

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | Sk* | Skin designation |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 03/19/2024

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet