SAFETY DATA SHEET



Revision date 03/19/2024 Revision Number 2

1. Identification

Product identifier

Product Name GR-399

Other means of identification

Safety data sheet number 04990

Product Code(s) L0157-035, L0157-039, L0157-040, L0157-041

UN number or ID number Not applicable.

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on useNo information available

Details of the supplier of the safety data sheet

Manufacturer Address

Lubriplate Lubricants Company Headquarters 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806

Emergency telephone number

Emergency Telephone Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)

2. Hazard(s) identification

Classification

Skin sensitization Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Warning

Hazard statements

May cause an allergic skin reaction



Appearance solid Physical state Solid Odor Mild

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful in contact with skin. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	10 - <30%	*
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	10 - <30%	*
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	10 - <30%	*
Lithium stearate	4485-12-5	5 - <10%	*
zinc oxide	1314-13-2	5 - <10%	*
Zinc bis(dibutyldithiocarbamate)	136-23-2	0.1 - <1%	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Distillates (petroleum),	TWA: 5 mg/m ³ inhalable	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
hydrotreated heavy paraffinic	particulate matter excluding	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³
64742-54-7	metal working fluids, highly &		STEL: 10 mg/m ³
	severely refined		15111 2522 / 2
Distillates (petroleum),	TWA: 5 mg/m³ inhalable	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
hydrotreated heavy paraffinic 64742-54-7	particulate matter excluding	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³
64742-54-7	metal working fluids, highly & severely refined		STEL: 10 mg/m ³
Distillates (petroleum),	TWA: 5 mg/m³ inhalable	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
hydrotreated heavy paraffinic	particulate matter excluding	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³
64742-54-7	metal working fluids, highly &		STEL: 10 mg/m ³
Lithium stearate	severely refined TWA: 10 mg/m³ inhalable		
4485-12-5	particulate matter except	-	-
4400 12 0	stearates of toxic metals		
	TWA: 3 mg/m ³ respirable		
	particulate matter except		
	stearates of toxic metals		
zinc oxide	STEL: 10 mg/m ³ respirable	TWA: 5 mg/m ³ fume	IDLH: 500 mg/m ³
1314-13-2	particulate matter	TWA: 15 mg/m³ total dust	Ceiling: 15 mg/m ³ dust
	TWA: 2 mg/m³ respirable	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ dust and fume
	particulate matter	fraction	STEL: 10 mg/m³ fume
		(vacated) TWA: 5 mg/m³ fume	
		(vacated) TWA: 10 mg/m³ total dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		(vacated) STEL: 10 mg/m ³	
		fume	

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid
Appearance solid
Color Off-white
Odor Mild

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boiling range>288 °C / 550.4 °F>288°C (>550.4°F)Flash point> 216 °C / 420.8 °FNone known

Evaporation rate No data available < 0.01 (butyl acetate = 1)

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

<0.0013 kPa @ 25°C Vapor pressure None known Relative vapor density > 5 None known 0.99 Relative density None known No data available Insoluble in water Water solubility None known Solubility(ies) No data available None known **Partition coefficient** No data available None known No data available None known **Autoignition temperature Decomposition temperature** None known No data available None known

Kinematic viscosity

No data available

No data available

None known

None known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 11,233.40 mg/kg

 ATEmix (dermal)
 4,420.80 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Lithium stearate 4485-12-5	= 15 g/kg (Rat)	-	-
zinc oxide 1314-13-2	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5700 mg/m³ (Rat)4 h
Zinc bis(dibutyldithiocarbamate) 136-23-2	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard

Other adverse effects

No information available.

No information available.

No information available.

12. Ecological information

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	,	EC50: >1000mg/L (48h, Daphnia magna)
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
zinc oxide 1314-13-2	-	LC50: =1.55mg/L (96h, Danio rerio)	-	-
Zinc bis(dibutyldithiocarbamat e) 136-23-2	-	LC50: =880mg/L (96h, Lepomis macrochirus) LC50: =520mg/L (96h, Oncorhynchus mykiss)	-	EC50: =0.74mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

For limited quantity packaging/limited load information, consult the relevant modal Note:

documentation using the data shown in this section.

Always transport in closed containers that are upright and secure. Ensure that persons Special precautions:

transporting the product know what to do in the event of an accident or spillage.

DOT Not regulated

Notes This product is not regulated for road transportation in accordance with 49 CFR

Exceptions.

Not applicable. **UN** number or ID number Not applicable Proper shipping name Not applicable. Packing group

DOT Marine Pollutant

IATA Not regulated UN number or ID number UN3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide, **UN proper shipping name**

Zinc bis(dibutyldithiocarbamate))

Transport hazard class(es) 9

Ш

Packing group

IMDG Not regulated

UN number or ID number UN3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide, **UN proper shipping name**

Zinc bis(dibutyldithiocarbamate))

Transport hazard class(es)

Packing group

Ш F-A, S-F EmS-No. Yes Marine pollutant

Transport Label



15. Regulatory information

International Inventories

TSCA Complies.

DSL/NDSL Complies. Complies. **EINECS/ELINCS** Complies. **ENCS** Complies. **IECSC** Complies. **KECI PICCS** Complies. AIIC Complies. **NZIoC** Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
zinc oxide - 1314-13-2	1.0
Zinc bis(dibutyldithiocarbamate) - 136-23-2	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
zinc oxide	-	X	-	-
1314-13-2				
Zinc	-	X	-	-
bis(dibutyldithiocarbamat				
e)				
136-23-2				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Revision date 03/19/2024

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	X	X	X
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	X	X	Х
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	X	X	X
zinc oxide 1314-13-2	Χ	X	Х
Zinc bis(dibutyldithiocarbamate) 136-23-2	Χ	-	Х
Crystalline silica 14808-60-7	Х	Х	Х
diphenylamine 122-39-4	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards2Flammability1Instability0Special hazards-HMISHealth hazards2Flammability1Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 03/19/2024

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 11/11