SAFETY DATA SHEET

Revision date 03/20/2024


1. Identification		
Product identifier		
Product Name	NO. 1230 CUTTING OIL	
Other means of identification		
Safety data sheet number	05047	
Product Code(s)	F0592-056, F0592-062	
UN number or ID number	Not applicable.	
Synonyms	None	
Recommended use of the chemica	al and restrictions on use	
Recommended use	No information available	
Restrictions on use	No information available	
Details of the supplier of the safet	y data sheet	
Manufacturer Address Lubriplate Lubricants Company Headquarters 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806		
Emergency telephone number		
Emergency Telephone	Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)	
2. Hazard(s) identificatior	1	
<u>Classification</u>		
Skin sensitization		Category 1
Hazards not otherwise classified ((HNOC)	

Not applicable

Label elements



Revision Number 2



Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

Specific treatment (see .? on this label) IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	80 - 100%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	Rinse mouth.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Itching. Rashes. Hives.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	

5. Fire-fighting measures

Suitable Extinguishing Media Large Fire	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal
	protective equipment as required. Evacuate personnel to safe areas. Keep people away
	from and upwind of spill/leak.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	TWA: 5 mg/m ³ inhalable particulate matter excluding metal working fluids, highly & severely refined	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties **Physical state** Liquid Appearance Oily liquid transparent Color amber Odor Mineral oil **Odor threshold** No information available **Property** Values No data available pН Melting point / freezing point No data available Initial boiling point and boiling range> 288 °C / 550.4 °F Flash point 207 °C / 404.6 °F **Evaporation rate** No data available Flammability No data available Flammability Limit in Air Upper flammability or explosive No data available

Remarks • Method

None known None known >288°C (>550.4°F) None known None known None known None known

limits Lower flammability or explosive limits	No data available	
Vapor pressure	<0.0013 kPa @ 20°C	None known
Relative vapor density	No data available	None known
Relative density	0.86	None known
Water solubility	No data available Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	36.83 cSt @ 40°C/104°F, 5.97 cSt @ 100°C/212°F	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	Not considered to be explosive	
Oxidizing properties	Does not meet the criteria for classific	ation as oxidising
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products None known based on information supplied.	

11. Toxicological information

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Specific test data for the substance or mixture is not available.
Symptoms related to the physical, chemical and toxicological characteristics	
Symptoms	Itching. Rashes. Hives.
Acute toxicity	

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	14,910.50 mg/kg
ATEmix (dermal)	5,015.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapor)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum),	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
hydrotreated heavy paraffinic			
64742-54-7			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates (petroleum),	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,

hydrotreated heavy paraffinic 64742-54-7	Oncorhynchus mykiss)	Daphnia magna)
Persistence and degradability	No information available.	
Bioaccumulation	There is no data for this product.	
Other adverse effects	No information available.	

13. Disposal considerations

Disposal methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information	
Note:	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

<u>DOT</u>	Not regulated
UN number or ID number	Not applicable.
Proper shipping name	Not applicable
Packing group	Not applicable.
IATA	Not regulated
IMDG_	Not regulated
Marine pollutant	No

15. Regulatory information

International Inventories

TSCA	Complies.
DSL/NDSL EINECS/ELINCS ENCS IECSC KECI PICCS AIIC NZIoC	Complies. Complies. Complies. Complies. Complies. Complies. Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

- **IECSC** China Inventory of Existing Chemical Substances
- **KECL** Korean Existing and Evaluated Chemical Substances
- PICCS Philippines Inventory of Chemicals and Chemical Substances
- AIIC Australian Inventory of Industrial Chemicals
- **NZIOC** New Zealand Inventory of Chemicals

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	Х	Х	Х
Soybean oil 8001-22-7	-	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	Health hazards 2	Flammability 1	Instability 0	Special hazards -
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection

TWA Ceiling	TWA (time-weighted average) Maximum limit value	STEL Sk*	STEL (Short Term Exposure Limit) Skin designation
Agency for Toxic U.S. Environment European Food S Environmental Pr Acute Exposure 0 U.S. Environment Food Research J Hazardous Subs International Unif National Institute Australia National NIOSH (National National Library of U.S. National Tox New Zealand's C Organization for Organization for	Guideline Level(s) (AEGL(s)) tal Protection Agency Federal Ins tal Protection Agency High Produ- ournal cance Database orm Chemical Information Databa of Technology and Evaluation (N I Industrial Chemicals Notificatior Institute for Occupational Safety of Medicine's ChemID Plus (NLM of Medicine's PubMed database (kicology Program (NTP) hemical Classification and Inform Economic Co-operation and Deve Economic Co-operation and Deve	y (ATSDR) Database ecticide, Fungicide, and Ro ction Volume Chemicals ase (IUCLID) ITE) and Assessment Scheme and Health) CIP) NLM PUBMED) ation Database (CCID) elopment Environment, Heal elopment High Production V	(NICNAS) Ith, and Safety Publications olume Chemicals Program
Revision date Revision Note <u>Disclaimer</u>	03/20/2024 No informa	tion available.	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet