# **SAFETY DATA SHEET**



Revision date 03/20/2024 Revision Number 2

# 1. Identification

**Product identifier** 

Product Name FLOKOOL XX CUTTING OIL

Other means of identification

Safety data sheet number 05063

Product Code(s) L0530-057, L0530-060, L0530-062

UN number or ID number Not applicable.

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

**Restrictions on use**No information available

Details of the supplier of the safety data sheet

### **Manufacturer Address**

Lubriplate Lubricants Company Headquarters 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806

### Emergency telephone number

Emergency Telephone Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)

# 2. Hazard(s) identification

### Classification

Skin sensitization Category 1

### Hazards not otherwise classified (HNOC)

Not applicable

# Label elements

#### Warning

# Hazard statements

May cause an allergic skin reaction



Appearance Oily liquid transparent Physical state Liquid Odor Fatty

#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

### **Precautionary Statements - Response**

Specific treatment (see .? on this label)
IF ON SKIN: Wash with plenty of water and soap
If skin irritation or rash occurs: Get medical advice/attention
Wash contaminated clothing before reuse

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

No information available.

# 3. Composition/information on ingredients

# Substance

Not applicable.

#### <u>Mixture</u>

| Chemical name  | CAS No.    | Weight-%  | Trade secret |
|--|------------|-----------|--------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 65 - <85% | *            |
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 10 - <30% | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First-aid measures

#### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

**Ingestion** Rinse mouth.

Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

# 5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### 7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear

suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. Exposure controls/personal protection

#### Control parameters

#### **Exposure Limits**

| Chemical name                 | ACGIH TLV                          | OSHA PEL                           | NIOSH                        |
|-------------------------------|------------------------------------|------------------------------------|------------------------------|
| Distillates (petroleum),      | TWA: 5 mg/m³ inhalable             | TWA: 5 mg/m <sup>3</sup>           | IDLH: 2500 mg/m <sup>3</sup> |
| hydrotreated heavy paraffinic | particulate matter excluding       | (vacated) TWA: 5 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup>     |
| 64742-54-7                    | metal working fluids, highly &     |                                    | STEL: 10 mg/m <sup>3</sup>   |
|                               | severely refined                   |                                    |                              |
| Distillates (petroleum),      | TWA: 5 mg/m <sup>3</sup> inhalable | TWA: 5 mg/m <sup>3</sup>           | IDLH: 2500 mg/m <sup>3</sup> |
| hydrotreated heavy paraffinic | particulate matter excluding       | (vacated) TWA: 5 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup>     |
| 64742-54-7                    | metal working fluids, highly &     |                                    | STEL: 10 mg/m <sup>3</sup>   |
|                               | severely refined                   |                                    |                              |

#### **Biological occupational exposure limits**

#### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance Oily liquid transparent

Color black Odor Fatty

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boiling range>288 °C / 550.4 °F>288°C (>550.4°F)Flash point171 °C / 339.8 °FNone known

**Evaporation rate** No data available < 0.01 (butyl acetate = 1)

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

<0.0013 kPa @ 20°C Vapor pressure None known Relative vapor density None known > 5 Relative density 0.93 None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known 31 cSt @ 40°C/104°F Kinematic viscosity None known None known

Dynamic viscosity No data available

Other information

**Explosive properties**Not considered to be explosive

Oxidizing properties Does not meet the criteria for classification as oxidising

Softening point
Molecular weight
VOC content
Liquid Density
Bulk density
No information available

# 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

Conditions to avoid None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

**Ingestion** Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 14,785.60 mg/kg

 ATEmix (dermal)
 5,017.60 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

**Component Information** 

| Chemical name                 | Oral LD50       | Dermal LD50           | Inhalation LC50 |
|-------------------------------|-----------------|-----------------------|-----------------|
| Distillates (petroleum),      | > 15 g/kg (Rat) | > 5000 mg/kg (Rabbit) | -               |
| hydrotreated heavy paraffinic |                 |                       |                 |
| 64742-54-7                    |                 |                       |                 |
| Distillates (petroleum),      | > 15 g/kg (Rat) | > 5000 mg/kg (Rabbit) | -               |
| hydrotreated heavy paraffinic |                 |                       |                 |
| 64742-54-7                    |                 |                       |                 |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity**No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Target organ effects Respiratory system, Eyes, Skin.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

#### **Ecotoxicity**

| Chemical name  | Algae/aquatic plants | Fish  | Toxicity to    | Crustacea                               |
|--|----------------------|---|----------------|---|
|  |                      |   | microorganisms |   |
| Distillates (petroleum),<br>hydrotreated heavy<br>paraffinic<br>64742-54-7 | -                    | LC50: >5000mg/L (96h,<br>Oncorhynchus mykiss) | •              | EC50: >1000mg/L (48h,<br>Daphnia magna) |
| Distillates (petroleum),<br>hydrotreated heavy<br>paraffinic<br>64742-54-7 | <u>-</u>             | LC50: >5000mg/L (96h,<br>Oncorhynchus mykiss) | <u>-</u>       | EC50: >1000mg/L (48h,<br>Daphnia magna) |

Persistence and degradability No information available.

**Bioaccumulation** There is no data for this product.

Other adverse effects No information available.

# 13. Disposal considerations

**Disposal methods** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# 14. Transport information

**Note:** The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

**DOT** Not regulated

UN number or ID number
Proper shipping name
Packing group

Not applicable
Not applicable.

IATA Not regulated

IMDG Not regulated

Marine pollutant No

# 15. Regulatory information

**International Inventories** 

TSCA Complies.

Complies. **DSL/NDSL EINECS/ELINCS** Complies. Complies. **ENCS** Complies. **IECSC** Complies. **KECI PICCS** Complies. AIIC Complies. **NZIoC** Complies.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

| Chemical name         | California Proposition 65 |
|-----------------------|---------------------------|
| naphthalene - 91-20-3 | Carcinogen                |

### U.S. State Right-to-Know Regulations

| Chemical name                 | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------|------------|---------------|--------------|
| Distillates (petroleum),      | X          | X             | X            |
| hydrotreated heavy paraffinic |            |               |              |
| 64742-54-7                    |            |               |              |

| Distillates (petroleum),<br>hydrotreated heavy paraffinic<br>64742-54-7 | Х | Х | Х |
|---|---|---|---|
| Soybean oil 8001-22-7   | - | - | X |
| Distillates (petroleum),<br>hydrotreated light naphthenic<br>64742-53-6 | - | X | - |
| naphthalene<br>91-20-3  | X | X | X |
| xylene<br>1330-20-7   | X | X | X |

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### 16. Other information

NFPA Health hazards 2 Flammability 1 Instability 0 Special hazards - HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 03/20/2024

**Revision Note** No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**