

Revision date 03/20/2024

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision Number 3

1. Identification		
Product identifier		
Product Name	MaxTacRed	
Other means of identification		
Safety data sheet number	05317	
Product Code(s)	L0168-003, L0168-005, L0168-035, L0168-039, L0168-040, L0168-040B, L0168-098	
UN number or ID number	Not applicable.	
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended use	No information available	
Restrictions on use	No information available	
Details of the supplier of the safety	data sheet	
Manufacturer Address Lubriplate Lubricants Company Head 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806	quarters	
Emergency telephone number		
Emergency Telephone	Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)	
2. Hazard(s) identification		

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified (HNOC)

Not applicable

Label elements Hazard statements This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance Solid. [grease]	Physical state Solid	Odor Mild
----------------------------	----------------------	------------------

Other information

Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	15 - <40%	*
lithium metaborate	13453-69-5	10 - <30%	*
Precipitated calcium carbonate	471-34-1	1 - <5%	*
zinc oxide	1314-13-2	1 - <5%	*
Antimony tris[O,O-dipropyl] tris(dithiophosphate)	15874-48-3	1 - <5%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation	Remove to fresh air.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash skin with soap and water.	
Ingestion	Rinse mouth.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. Fire-fighting measures

Suitable Extinguishing Media Large Fire	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	No information available.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

 Precautions for safe handling
 Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Distillates (petroleum),	TWA: 5 mg/m ³ inhalable	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
hydrotreated heavy paraffinic 64742-54-7	particulate matter excluding metal working fluids, highly &	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³
	severely refined		C C
lithium metaborate	STEL: 6 mg/m ³ inhalable	-	-

	r	1	
13453-69-5	particulate matter		
	TWA: 2 mg/m ³ inhalable		
	particulate matter		
Precipitated calcium carbonate	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
471-34-1		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	c .
		(vacated) TWA: 15 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
zinc oxide	STEL: 10 mg/m ³ respirable	TWA: 5 mg/m ³ fume	IDLH: 500 mg/m ³
1314-13-2	particulate matter	TWA: 15 mg/m ³ total dust	Ceiling: 15 mg/m ³ dust
	TWA: 2 mg/m ³ respirable	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ dust and fume
	particulate matter	fraction	STEL: 10 mg/m ³ fume
		(vacated) TWA: 5 mg/m ³ fume	
		(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		(vacated) STEL: 10 mg/m ³	
		fume	
Antimony tris[O,O-dipropyl]	TWA: 0.5 mg/m ³ Sb	TWA: 0.5 mg/m ³ Sb	IDLH: 50 mg/m ³ Sb
tris(dithiophosphate)		(vacated) TWA: 0.5 mg/m ³ Sb	TWA: 0.5 mg/m ³ Sb
15874-48-3			

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on bas	c physical and chemical properties

Physical state	Solid
Appearance	Solid. [grease]
Color	red
Odor	Mild
Odor threshold	No information available

Property_	<u>Values</u>
рН	No data available
Melting point / freezing point	No data available
Initial boiling point and boiling rar	nge> 288 °C / 550.4 °F
Flash point	No data available

Remarks • Method None known None known >288°C (>550.4°F) None known

Evaporation rate Flammability Flammability Limit in Air Upper flammability or explosive limits	No data available No data available No data available	None known None known None known	
Lower flammability or explosive limits	No data available		
Vapor pressure	No data available	None known	
Relative vapor density	No data available	None known	
Relative density	No data available	None known	
Water solubility	No data available Insoluble in water	None known	
Solubility(ies)	No data available	None known	
Partition coefficient	No data available	None known	
Autoignition temperature	No data available None known		
Decomposition temperature	None known		
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Other information			
Explosive properties	No information available		
Oxidizing properties	No information available		
Softening point	No information available		
Molecular weight	No information available		
VOC content	No information available		
Liquid Density	No information available		
Bulk density	No information available		

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
	Nexe language beard on information overhind

11.	Toxic	cologic	al info	rmation	
				ination	

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
Symptoms related to the physical, o	chemical and toxicological characteristics
Symptoms	No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	5,605.30 mg/kg
ATEmix (dermal)	5,073.60 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapor)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum),	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
hydrotreated heavy paraffinic			
64742-54-7			
Precipitated calcium carbonate	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat)4 h
471-34-1			
zinc oxide	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5700 mg/m ³ (Rat) 4 h
1314-13-2			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information				
Ecotoxicity	Harmful to aquatic life.			
Ohamiaalaaana		F :_L	T	
Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea

			microorganisms	
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
zinc oxide 1314-13-2	-	LC50: =1.55mg/L (96h, Danio rerio)	-	-
Persistence and degradabili	ity No inf	ormation available.		
Bioaccumulation	There	There is no data for this product.		
Other adverse effects	No inf	ormation available.		
13. Disposal conside	erations			
Disposal methods				
Waste from residues/unuse products		Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Do no	Do not reuse empty containers.		
California Hazardous Waste		This product contains one or more substances that are listed with the State of California as a hazardous waste.		
14. Transport inform	ation			
Note:		For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.		
Special precautions:		Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.		
DOT Notes UN number or ID numbe Proper shipping name Packing group	This p Excep r Not ap Not ap	Not regulated This product is not regulated for road transportation in accordance with 49 CFR Exceptions. Not applicable. Not applicable. Not applicable.		
IATA UN number or ID numbe UN proper shipping nam Transport hazard class(Packing group	ne ENVIF antimo			
IMDG UN number or ID numbe UN proper shipping nam Transport hazard class(Packing group EmS-No.	ne ENVIF antimo es) 9 III			



15. Regulatory information

International Inventories

TSCA

Complies.

DSL/NDSL EINECS/ELINCS	Complies. Complies.
ENCS	Complies.
IECSC	Complies.
KECI	Complies.
PICCS	Complies.
AIIC	Complies.
NZIoC	Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
zinc oxide - 1314-13-2	1.0
Antimony tris[O,O-dipropyl] tris(dithiophosphate) - 15874-48-3	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
zinc oxide 1314-13-2	-	Х	-	-
Antimony tris[O,O-dipropyl] tris(dithiophosphate)	-	Х	-	-

15874-48-3		

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	X	X	Х
lithium metaborate 13453-69-5	Х	-	-
Precipitated calcium carbonate 471-34-1	Х	Х	Х
Antimony tris[O,O-dipropyl] tris(dithiophosphate) 15874-48-3	Х	-	Х
zinc oxide 1314-13-2	Х	Х	Х
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	Х	X	X
Distillates (petroleum), hydrotreated light paraffinic 64742-55-8	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information							
NFPA HMIS	Health hazards 0 Health hazards 0	Flammability Flammability		Instability 0 Physical hazards 0	Special hazards - Personal protection X		
Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection							
TWA Ceiling	TWA (time-weighted average) Maximum limit value		STEL Sk*	STEL (Short Term Exposure Limit) Skin designation			
Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act							

U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date Revision Note Disclaimer 03/20/2024 No information available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet