

Revision date 03/20/2024

1. Identification

Product identifier		
Product Name	SYN-FG SDO Aerosol	
Other means of identification		
Safety data sheet number	05323	
Product Code(s)	L0570-063	
Synonyms	None	
Recommended use of the chemical and restrictions on use		
Recommended use	No information available	
Restrictions on use	No information available	
Details of the supplier of the safety data sheet		

Manufacturer Address

Lubriplate Lubricants Company Headquarters 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806

Emergency telephone number

Emergency Telephone

Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration hazard	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed gas

Hazards not otherwise classified (HNOC)

Not applicable



This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision Number 2

Label elements Danger Hazard statements Causes skin irritation Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways Extremely flammable aerosol Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode gas to the pressure; may exp

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear protective gloves/eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if inhaled. Harmful to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
propan-2-ol	67-63-0	30 - <60 %	*

Naphtha (petroleum), light alkylate	64741-66-8	10 - <30%	*
-------------------------------------	------------	-----------	---

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures	
Description of first aid measures	
General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.
5. Fire-fighting measures	
Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). Water spray. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists.

Containers may explode when heated. Ruptured cylinders may rocket.

Eve	losion	444
FXD	IOSION	oata.

Sensitivity to mechanical impact Yes.

Sensitivity to static discharge Yes.

Special protective equipment and
precautions for fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.
Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric
motors and static electricity). Keep in properly labeled containers. Do not store near
combustible materials. Keep in an area equipped with sprinklers. Store in accordance with
the particular national regulations. Store in accordance with local regulations. Store locked
up. Keep out of the reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
propan-2-ol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

Biological occupational exposure limits

Chemical name	ACGIH
propan-2-ol	40 mg/L - urine (Acetone) - end of shift at end of workweek
67-63-0	

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Impervious gloves. Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical propertiesPhysical stateAerosolAppearanceLiquidColorVarious coloursOdorMildOdor thresholdNo information available

Property	Values	Remarks • Method
рН	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	je > 288 °C / 550.4 °F	>288°C (>550.4°F)
Flash point	> 100 °C / 212.0 °F	None known
Evaporation rate	No data available	< 0.01 (butyl acetate = 1)
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	<0.0013 kPa @ 25°C	None known
Relative vapor density	> 5	None known
Relative density	0.95	None known
Water solubility	No data available Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	
10. Stability and reactivity		
Reactivity	No information available.	

Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks. Excessive heat.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness. May be harmful if inhaled.

Eye contact	Specific test data for the substance or mixture is not available. May cause irritation. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.	
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Symptoms related to the physical, chemical and toxicological characteristics		

SymptomsDifficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness
and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like
headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	8,039.00 mg/kg
ATEmix (dermal)	5,285.20 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapor)	35.40 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
propan-2-ol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat)6 h
Naphtha (petroleum), light alkylate 64741-66-8	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	>6.31 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
propan-2-ol	-	Group 3	-	Х
67-63-0				

Legend

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans Occupational Safety and Health Administration of the US Department of Labor X - Present

Reproductive toxicity	No information available.
STOT - single exposure	May cause drowsiness or dizziness.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
propan-2-ol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
67-63-0	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =11130mg/L (96h,		
	EC50: >1000mg/L (72h,	Pimephales promelas)		
	Desmodesmus	LC50: >1400000µg/L		
	subspicatus)	(96h, Lepomis		
	. ,	macrochirus)		
Naphtha (petroleum), light	EC50: =30000mg/L (72h,	-	-	LC50: =2mg/L (48h,
alkylate	Pseudokirchneriella			Mysidopsis bahia)
64741-66-8	subcapitata)			,

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
propan-2-ol	0.05
67-63-0	

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused	Should not be released into the environment. Dispose of in accordance with local
products	regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging	Do not reuse empty containers.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.
14. Transport information	
Note:	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
Special precautions:	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
DOT Notes	Not regulated As supplied, this product is consigned under the Limited Quantities provisions.
IATA_ UN number or ID number UN proper shipping name Transport hazard class(es) Packing group	UN1950 AEROSOLS 2.1 None
IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No. Marine pollutant	UN1950 AEROSOLS 2.1 None F-D, S-U No
Transport Label	2
15. Regulatory information	
International Inventories	
TSCA	Complies.

DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Complies.
IECSC	Complies.
KECI	Complies.
PICCS	Complies.
AIIC	Complies.
NZIOC	Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

- **PICCS** Philippines Inventory of Chemicals and Chemical Substances
- AIIC Australian Inventory of Industrial Chemicals
- NZIOC New Zealand Inventory of Chemicals

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
propan-2-ol - 67-63-0	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
propan-2-ol 67-63-0	X	Х	Х
Water 7732-18-5	-	-	Х
sodium nitrite 7632-00-0	X	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information						
NFPA	Health hazards 2	Flammability 1 4	Instability 0	Special hazards -		
HMIS	Health hazards 2	Flammability 1 4	Physical hazards 0	Personal protection X		

Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection

TWA Ceiling	TWA (time-weighted average) Maximum limit value	STEL Sk*	STEL (Short Term Exposure Limit) Skin designation
Agency for Toxic U.S. Environment European Food S Environmental Pl Acute Exposure U.S. Environment U.S. Environment Food Research J Hazardous Subs International Unit National Institute Australia National NIOSH (National National Library O U.S. National Tox New Zealand's C Organization for Organization for	Guideline Level(s) (AEGL(s)) tal Protection Agency Federal Insecticide, tal Protection Agency High Production Vol lournal tance Database form Chemical Information Database (IUCI of Technology and Evaluation (NITE) al Industrial Chemicals Notification and Ass Institute for Occupational Safety and Hea of Medicine's ChemID Plus (NLM CIP) of Medicine's PubMed database (NLM PUI xicology Program (NTP) chemical Classification and Information Da Economic Co-operation and Development Economic Co-operation and Development	R) Fungicide, and Ro lume Chemicals LID) sessment Scheme lth) BMED) tabase (CCID) Environment, Hea High Production V	(NICNAS) Ith, and Safety Publications olume Chemicals Program
Revision date Revision Note <u>Disclaimer</u>	03/20/2024 No information avai	lable.	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet